

Carefree Stripper	Date of Assessment : 16/07/2021	Reference : 050054
Risk Assessor : Cheryl Fry	Risk Assessor :	
Other People Involved in Making This Assessment : Cheryl Fry		



R or H Descriptors:	S or P Descriptors:
H290 May be corrosive to metals H314 Causes severe skin burns and eye damage H319 Causes serious eye irritation H332 Harmful if inhaled H335 May cause respiratory irritation H412 Harmful to aquatic life with long lasting effects	P260 Do not breathe dust/fume/gas/mist/vapours/spray P280 Wear protective gloves/protective clothing/eye protection/face protection P310 Immediately call a POISON CENTER or doctor/physician P303+361+353 IF ON SKIN (or hair); Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower P305+351+338 IF IN EYES; Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing
Additional Information	
Workspace Exposure Limit (WEL)	
50 ppm 246 mg/m3	

Primary route(s) of entry : Absorption, Ingestion, Inhalation	
This is a Group C Substance.	The quantity used per batch or work period is: Small (<1kg or <1l)
The Substance is a Liquid of Low volatility	
General is the control measure appropriate to control the health risks from the use of this substance. Health Surveillance is not required.	

Existing Control Measures
1. Cleaning chemicals are not mixed. All staff to Follow instructions on container / packaging
2. COSHH assessments communicated to all relevant staff and Safety Data sheet read and understood.
3. All articles of personal protective wear should be maintained and checked before and after use in all instances.

4. Exposure Times Controlled as per manufacturer's instructions. Product used in ventilated area
5. All employees receive induction training upon commencement with the Company
6. Products to be kept in containers have their caps/lids in place and secure when not in use to prevent spillages
7. No Food Drink Permitted in Area. Hands must be cleaned after finishing using products
8. Dispose of with caution – harmful to aquatic life.
9. First aid measures 1. Symptoms of intoxication may even occur after several hours. It is recommended to continue medical observation for at least 48 hours after the incident. If breathing is irregular or stopped, administer artificial respiration
10. First aid measures 2. Call a POISON CENTRE, doctor or physician if you feel unwell.
11. First aid measures 3. Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Take off immediately all contaminated clothing and wash it before re-use. Immediately call a POISON CENTRE, doctor or physician
12. First aid measures 4. Immediately rinse eyes cautiously with lukewarm water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.
13. First aid measures 5. Ingestion. Rinse mouth. Immediately drink 1 glass of water. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or physician
14. Most important symptoms - Inhalation: May cause respiratory irritation. Skin contact: Causes severe burns. Eye contact: Causes severe or permanent damage. Ingestion: Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.
15. Fire fighting - Extinguishing media Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

Documents Associated with this Risk Assessment : Carefree Stripper SDS.pdf(SDS)

Review Date : 20/07/2023