

## SAFETY DATA SHEET

according to Regulation (EU) 2015/830

# **H&H 103 Concentrated Cleaner / Sanitiser**

Revision: 1

Revision date: 25/01/2022

SECTION 1: Identification of the substance/mixtu	ire and of the company/undertaking
--	------------------------------------

1.1 Product ider	ntifiei	r
------------------	---------	---

Product name H&H 103 Concentrated Cleaner / Sanitiser

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Product Use** [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products);

1.3 Details of the supplier of the safety data sheet

Company Innu-Science RH (UK) LTD

Address Briary Barn, Pury Hill Business Park, Paulerspury

Towcester, Northamptonshire NN12 7LS

United Kinadom

www.innuscience.com Web 01908 991 658 Telephone Email: uk@innuscience.com

1.4 Emergency telephone number

Emergency telephone

number

United Kingdom: NHS Direct: +44 0845 4647

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

2.1.2 Classification - EC	Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Chronic 1: H410;
---------------------------	---

1272/2008

2.2 Label elements

lazaro	l pict	ograms	•	





Signal Word

Danger

Skin Irrit. 2: H315 - Causes skin irritation.

Eye Dam. 1: H318 - Causes serious eye damage.

**Hazard Statement** 

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Precautionary Statement: P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Prevention

P273 - Avoid release to the environment.

**Precautionary Statement:** Response

P302+P352 - IF ON SKIN: Wash with plenty of water/.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. P310 -Immediately call a POISON CENTER/doctor/.

P391 - Collect spillage.

Precautionary Statement:

Disposal

P501 - Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### EC 1272/2008

Chemical name	Index No.	CAS No.	EC No.	REACH	Conc	Classification
				registration Number	(%w/w)	
Alcohols, C12-14 (Even numbered), ethoxylated (*R01)		68002-97-1			1-10%	Acute Tox. 4: H302; Eye Dam. 1: H318; Aquatic Chronic 3: H412;
2-Aminoethanol	603-030-00-8	141-43-5	205-483-3	01-2119486455-28	1-10%	Acute Tox. 4: H302; Acute Tox. 4: H312; Skin Corr. 1B: H314; Acute Tox. 4: H332; STOT SE 3: H335; Aquatic Chronic 3: H412;
Alkyl (C12-16) dimethylbenzyl ammonium chloride (*R01)		68424-85-1	270-325-2		1-10%	Acute Tox. 4: H302; Skin Corr. 1B: H314; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;

Active substance(s). Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-C16)) 3.5g/100g. Didecyldimethylammonium chloride (DDAC). 0.5g/100g.

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

2000p	··· · · · · · · · · · · · · · · · · ·			
Inhalation	Move the exposed person to fresh air. Seek medical attention.			
Eye contact	Causes serious eye damage. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor/.			
Skin contact	Irritating to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.			
Ingestion	Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist.			

#### 4.2 Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to respiratory system.
Eye contact	Causes serious eye damage.
Skin contact	Irritating to skin.
Ingestion	Irritant.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

## **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions.

# 5.2 Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

# 5.3 Advice for firefighters

Wear suitable respiratory equipment when necessary.

# **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Wear suitable protective equipment.

# 6.2 Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

# 6.3 Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

#### 6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best manual handling considerations when handling, carrying and dispensing.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. For incompatibilities refer to section 10.4.

#### 7.3 Specific end use(s)

No specific advice for end use available.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### 8.1.1 Exposure Limit Values - UK

	WEL 8-hr limit ppm: 1
	WEL 15 min limit ppm: 3
2-Aminoethanol	WEL 8-hr limit mg/m3: 2.5
	WEL 15 min limit mg/m3: 7.6

#### 8.1.1 Occupational Exposure Limits Values (OELVs) - Ireland

<u> </u>	` ,	
	Occupational Exposure Limit Value (8-hour	1 ppm
2-Aminoethanol	reference period)	2.5 mg/m3
2-Aminoemanoi	Occupational Exposure Limit Value (15-	3 ppm
	minute reference period)	7.6 mg/m3

# DNEL: Derived no-effect level.

## Exposure Battern - Worke

Exposure Fattern - Worker	5	
	Long-term - inhalation - Systemic effects	3.3 mg/m³
	Long-term - inhalation - Local effects	3.3 mg/m³
2-Aminoethanol	Long-term - oral - Systemic effects	1 mg/kg

# Exposure Pattern - General population

	Exposure Fattern - General population				
		Long-term - inhalation - Systemic effects 2 mg/m³			
		Long-term - inhalation - Local effects 2 mg/m <sup>3</sup>			
	2-Aminoethanol	Long-term - oral - Systemic effects 3.75 mg/kg			
2-Aminoethanoi	2-Ammoethanoi	Long-term - dermal - Systemic effects 0.24 mg/kg			

#### 8.2 Exposure controls





Adopt best Manual Handling considerations when handling, carrying and dispensing. Take off immediately all contaminated clothing. Wash hands after handling the product.

# 8.2.1 Appropriate engineering controls 8.2.2 Individual protection

Ensure adequate ventilation of the working area.

Use appropriate personal protective equipment.

measures Eye / face protection Skin protection -Hand protection

Respiratory protection

Safety glasses. (EN166)

Chemical resistant gloves (PVC). (EN 374)

Not normally required. Do not breathe gas/fumes/vapour/spray.

# **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties		
Appearance	Liquid	
Colour	Purple	
Odour	Characteristic	
pH	>10.0	
Melting point	Not determined	
Freezing Point	Not determined	
Initial boiling point	Not determined	
Flash point	Not determined	
Evaporation rate	Not determined	

Flammability (solid, gas)
Fat Solubility
Partition coefficient
Autoignition temperature
Viscosity
Explosive properties
Oxidising properties
Solubility
Vapour pressure

Not applicable to liquids
Not determined
Not determined
Not determined
Not explosive
Not explosive
Not oxidising
Soluble in water
Not determined

#### 9.2 Other information

Conductivity Not determined
Surface tension Not determined
Specific gravity 1.01 g/cm³

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

# 10.2 Chemical stability

Stable under normal conditions.

## 10.3 Possibility of hazardous reactions

No other adverse effects known.

#### 10.4 Conditions to avoid

Avoid contact with: Acids.

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

Skin corrosion/irritation
Germ cell mutagenicity
Carcinogenicity
Reproductive toxicity

Irritating to skin. Causes serious eye damage.

No mutagenic effects reported.

No carcinogenic effects reported.

No observed effect level.

# 11.1.4 Toxicological Information

	Inhalation Rat LC50/15min: NDA	Dermal Rat LD50 NDA	
Alcohols, C12-14 (Even numbered), ethoxylated (*R01)	Oral Rat LD50: 100 mg/kg	Oral Mouse LD50: NDA	
	Dermal Rabbit LD50: 2,000 mg/kg	Dermal Guinea Pig LD50 NDA	
2-Aminoethanol	Inhalation Rat LC50/1.3 mg/l h: 6	Dermal Rat LD50 NDA	
	Oral Rat LD50: 1515 mg/kg	Oral Mouse LD50: NDA	
	Dermal Rabbit LD50: NDA	Dermal Guinea Pig LD50 NDA	
Alkyl (C12-16) dimethylbenzyl ammonium chloride (*R01)	Inhalation Rat LC50/15min: NDA	Dermal Rat LD50 800-1420 mg/kg	
	Oral Rat LD50: 240 - 400mg/kg	Oral Mouse LD50 NDA	
	Dermal Rabbit LD50: NDA	Dermal Guinea Pig LD50: NDA	

SECTION 12: Ecological information						
12.1 Toxicity						
Alcohols, C12-14 (Even numbered), ethoxylated (*R01)	Daphnia EC50/48h:	NDA				
	Fish LC50/96h:	NDA				
	Algae IC50/72h:	NDA				
2-Aminoethanol	Daphnia EC50/48h:	65.0000 mg/l				
	Fish LC50/96h:	170 mg/l				
	Algae EC50/72h:	22 mg/l				
Alkyl (C12-16) dimethylbenzyl ammonium chloride	Daphnia EC50/48h:	0.0200 mg/l	Daphnia LC50/48h: 0.02mg/l			
	Green algae EC50/96h:	0.06mg/l				

(\*R01) 1.2000 Fish LC50/96h: mg/l 12.2 Persistence and degradability No data is available on this product. 12.3 Bioaccumulative potential No data is available on this product. Partition coefficient No data is available on this product. 12.4 Mobility in soil No data is available on this product. 12.5 Results of PBT and vPvB assessment Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3. 12.6 Other adverse effects No other adverse effects known. **SECTION 13: Disposal considerations General information** Dispose of in compliance with all local and national regulations. Disposal of packaging Dispose of in compliance with all local and national regulations. Empty containers can be cleaned with water. **Further information** European Waste Catalogue: 20 01 29. **SECTION 14: Transport information Hazard pictograms** 14.1 UN number UN3082 14.2 UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALKYL DIMETHYLBENZYL AMMONIUM CHLORIDE) 14.3 Transport hazard class(es) ADR/RID Subsidiary risk IMDG 9 Subsidiary risk 9 IATA Subsidiary risk 14.4 Packing group Packing group Ш 14.5 Environmental hazards **Environmental hazards** Yes Marine pollutant Yes ADR/RID Hazard ID 90 **Tunnel Category IMDG EmS Code** F-A-S-F IATA 964 **Packing Instruction** (Cargo) **Maximum quantity** 450L Packing Instruction 964 (Passenger) Maximum quantity 450L **SECTION 15: Regulatory information** 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations: • Regulation(EC)No.1907/2006 - REACH Regulation(EC)No1272/2008 - CLP • Regulation(EC)No.648/2004 - Detergents regulation

Ingredients according to EC Detergents Regulation 648/2004 non-ionic surfactants 5% - < 15% cationic surfactants 0% - < 5%

#### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture.

## **SECTION 16: Other information**

#### Other information

Revision This document differs from the previous version in the following areas:.

Changes to sections 1, 3, 8, 9, 11, 12, 15 Acronyms

LC: Lethal concentration.

LD: Lethal dose.

NDA - No data available.

NOAEC: No observed adverse effect concentration.

NOAEL: No observed adverse effect level. NOEC: No observed effect concentration.

NOEL: No observed effect level.

PBT: Persistent, bioaccumulative and toxic. SVHC. Substance of very high concern. vPvB. Very persistent and very bioaccumulative. \*R01 - Polymer REACH number not available. Acute Tox. 4: H302 - Harmful if swallowed.

Text of Hazard Statements in Section 3

Eye Dam. 1: H318 - Causes serious eye damage.

Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

STOT SE 3: H335 - May cause respiratory irritation.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

#### **Further information**

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

Internal ref: F000055