

BIOHYGIENE GUM, MARK & GRAFFITI REMOVER	Date of Assessment : 09/08/2023	Reference : BIOHYGIENE GUM, MARK & GRAFFITI REMOVER
Risk Assessor : Michelle Beukes	Risk Assessor :	
Other People Involved in Making This Assessment :		

R or H Descriptors:	S or P Descriptors:
Additional Information	
Workspace Exposure Limit (WEL)	

Primary route(s) of entry : Absorption, Ingestion, Inhalation	
This is a Group Substance.	The quantity used per batch or work period is: Small (<1kg or <1l)
The Substance is a Liquid of Low volatility	
is the control measure appropriate to control the health risks from the use of this substance. Health Surveillance is not required.	

Existing Control Measures
1. Technical measures : Ensure adequate ventilation, especially in confined areas. Storage conditions : Store in a well-ventilated place.
2. Skin and body protection: No special requirement
3. Eye protection not applicable. Ensure spraying away from persons.
4. Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below.
5. Conditions to avoid: None under recommended storage and handling conditions
6. Disposal operations: Larger volumes should be sent for disposal by an approved waste contractor.
7. Cleaning chemicals are not mixed. All staff to Follow instructions on container / packa
8. COSHH assessments communicated to all relevant staff and SDS read and underst
9. All employees receive induction training upon commencement with the Com
10. Products to be kept in containers have their caps/lids in place and secure when not in use to prevent spillages. Store in a cool, well ventilated area. Keep container tightly clos
11. First Aid 1. Skin contact: Wash immediately with plenty of soap and water. May cause slight irritation to the skin.

12. First Aid 2. Eye contact: Rinse eyes with water as a precaution. May cause slight irritation to eyes
13. First Aid 3. Ingestion: Wash out mouth with water. Call a poison center or a doctor if you feel unwell. May cause irritation to the digestive tract
14. First Aid 4. Inhalation: Remove person to fresh air and keep comfortable for breathing. May cause slight irritation
15. Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Water spray. Dry powder. Foam. Carbon dioxide
16. Exposure hazards: Contains no substances with occupational work exposure limits
17. Advice for fire-fighters: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
18. For containment : Stop leak without risks if possible. Methods for cleaning up : Wash the spillage site with large amounts of water. Ventilate spillage area. Other information Small amount of unwanted product may be flushed with water to sewer.
19. Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Work in a well-ventilated area. Hygiene measures : Always wash hands after handling the product.

Documents Associated with this Risk Assessment : BioHygiene-Gum-Mark-Graffiti-Remover-MSDS.pdf(BioHygiene-Gum-Mark-Graffiti-Remover-MSDS)
Review Date : 09/08/2024